

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                          |                          |                          |
|---------------------------|--------------------------|--------------------------|--------------------------|
| <b>Date Reported:</b>     | 4/20/2026                | <b>Sample ID:</b>        | 20260409-CACF-003        |
| <b>Client Name:</b>       | Canna Cure Farms LLC     | <b>Sample Name:</b>      | Mac 1 3.5g Bag           |
| <b>Sampling Location:</b> | Argyle, NY               | <b>Sample Matrix:</b>    | Flower                   |
| <b>Contact Name:</b>      | Noah White               | <b>Sample Sub Type:</b>  | Whole Flower             |
| <b>Contact Email:</b>     | info@nycanna.co          | <b>Batch Lot ID:</b>     | 1A41203000016B3000000305 |
| <b>License Number:</b>    | OCM-PROC-24-000135       | <b>Batch Size:</b>       | 3400                     |
| <b>Phone:</b>             | (518) 232-1388           | <b>Serving Size (g):</b> | 3.5                      |
| <b>Medical/Adult Use:</b> | Adult Use                | <b>METRC Source ID:</b>  | 1A41203000016B3000000285 |
| <b>Sampling Date:</b>     | 04/09/2026 11:40:00 AM   |                          |                          |
| <b>METRC Test Tag ID:</b> | 1A41203000016B3000000305 |                          |                          |

|                       |          |                        |          |                                     |           |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|-----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b>  | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>NT</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>P</b>  |                   |          |

"NT" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Mac 1 3.5g Bag (20260409-CACF-003)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.103       |
| CBDA      | < MRL  | < MRL      | 0.103       |
| CBGA      | 1.515  | 53.030     | 0.103       |
| CBG       | < MRL  | < MRL      | 0.103       |
| CBD       | < MRL  | < MRL      | 0.103       |
| THCV      | < MRL  | < MRL      | 0.103       |
| CBN       | < MRL  | < MRL      | 0.103       |
| D9-THC    | 0.623  | 21.822     | 0.103       |
| D8-THC    | < MRL  | < MRL      | 0.103       |
| D10-THC-S | < MRL  | < MRL      | 0.103       |
| D10-THC-R | < MRL  | < MRL      | 0.103       |
| CBC       | < MRL  | < MRL      | 0.103       |
| THCA      | 24.589 | 860.610    | 0.103       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #233713 | Date Tested: 04/13/2026 09:28 AM

| Potency Summary                                                                              | % w/w  | mg/serving |
|----------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta^8$ -THC + $\Delta^9$ -THC + $\Delta^{10}$ -THC + (THCA * 0.877) ] | 22.188 | 776.577    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                    | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                    | 26.727 | 935.462    |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: Mac 1 3.5g Bag (20260409-CACF-003)

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | 0.11           | 0.07        |
| Camphene            | < MRL          | 0.07        |
| Sabinene            | < MRL          | 0.07        |
| beta-Pinene         | 0.10           | 0.07        |
| beta-Myrcene        | 0.08           | 0.07        |
| Alpha-phellandrene  | < MRL          | 0.07        |
| Carene              | < MRL          | 0.07        |
| alpha-terpinene     | < MRL          | 0.07        |
| p-Cymene            | < MRL          | 0.07        |
| Limonene            | 0.39           | 0.07        |
| Eucalyptol          | < MRL          | 0.07        |
| Ocimene             | < MRL          | 0.05        |
| gamma-Terpinene     | < MRL          | 0.07        |
| Sabinene Hydrate    | < MRL          | 0.07        |
| Terpinolene         | < MRL          | 0.07        |
| Linalool            | 0.19           | 0.07        |
| Fenchol             | < MRL          | 0.07        |
| Menthol             | < MRL          | 0.07        |
| Terpineol           | < MRL          | 0.07        |
| Citronellol         | < MRL          | 0.07        |
| Isopulegol          | < MRL          | 0.07        |
| Geraniol            | < MRL          | 0.07        |
| Alpha-cedrene       | < MRL          | 0.06        |
| Beta-Caryophyllene  | 0.15           | 0.07        |
| Farnesene           | < MRL          | 0.07        |
| alpha-Humulene      | < MRL          | 0.07        |
| Valencene           | < MRL          | 0.07        |
| cis-Nerolidol       | < MRL          | 0.03        |
| trans-Nerolidol     | < MRL          | 0.04        |
| Caryophyllene oxide | < MRL          | 0.07        |
| Guaiol              | < MRL          | 0.07        |
| alpha-Bisabolol     | < MRL          | 0.07        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #233716 | Date Tested: 04/20/2026 08:39 AM

### Terpenes Summary

Result

Limit

Pass/Fail

**Total Terpenes (% w/w)**

1.02

10

PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: Mac 1 3.5g Bag (20260409-CACF-003)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.200        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #233710 | Date Tested: 04/15/2026 07:52 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: Mac 1 3.5g Bag (20260409-CACF-003)                                                  |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL         | 0.020                                               | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL         | 0.020                                               | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |               | Test ID: #233711   Date Tested: 04/19/2026 03:17 PM |            |

| Heavy Metals: Mac 1 3.5g Bag (20260409-CACF-003)                                                      |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL         | 110                                                 | 8.00       |
| Nickel                                                                                                | PASS      | < MRL         | 5.00                                                | 1.00       |
| Copper                                                                                                | PASS      | < MRL         | 30.0                                                | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL         | 0.200                                               | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL         | 0.200                                               | 0.10       |
| Antimony                                                                                              | PASS      | < MRL         | 2.00                                                | 1.00       |
| Mercury                                                                                               | PASS      | < MRL         | 0.100                                               | 0.05       |
| Lead                                                                                                  | PASS      | < MRL         | 0.500                                               | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |               | Test ID: #233709   Date Tested: 04/11/2026 01:59 PM |            |

| Microbiology - Plating: Mac 1 3.5g Bag (20260409-CACF-003)                       |           |                 |                                                                                                                                                | PASS        |
|----------------------------------------------------------------------------------|-----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                  |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Total Aerobic Bacteria                                                           | PASS      | 200             | None                                                                                                                                           | 100         |
| Total Yeast & Mold                                                               | PASS      | 150000          | None                                                                                                                                           | 100         |
| Microbiology - qPCR:                                                             |           |                 |                                                                                                                                                |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Salmonella spp                                                                   | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| Shiga toxin-producing E. coli                                                    | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)                                  | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| MRL = Minimum reporting limit/limit of quantification                            |           |                 | Test IDs: #233718, #233717, #233720, #233719   Date Tested: 04/14/2026 01:06 PM, 04/13/2026 11:28 AM, 04/12/2026 03:00 PM, 04/12/2026 03:08 PM |             |

| Moisture: Mac 1 3.5g Bag (20260409-CACF-003)                          |           |            |                                                     | PASS |
|-----------------------------------------------------------------------|-----------|------------|-----------------------------------------------------|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) |           |            |                                                     |      |
| Analyte                                                               | Pass/Fail | Result (%) | Limit (%)                                           |      |
| Moisture                                                              | PASS      | 10.1       | 15.0                                                |      |
| MRL = Minimum reporting limit/limit of quantification                 |           |            | Test ID: #233712   Date Tested: 04/10/2026 12:50 PM |      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Water Activity: Mac 1 3.5g Bag (20260409-CACF-003)                               |           |                                                     | PASS            |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------|-----------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                                                     |                 |
| Analyte                                                                          | Pass/Fail | Result ( $a_w$ )                                    | Limit ( $a_w$ ) |
| Water Activity                                                                   | PASS      | 0.50                                                | 0.65            |
| MRL = Minimum reporting limit/limit of quantification                            |           | Test ID: #233708   Date Tested: 04/10/2026 01:48 PM |                 |

| Filt and Foreign Material: Mac 1 3.5g Bag (20260409-CACF-003)        |         |                                                     | PASS      |
|----------------------------------------------------------------------|---------|-----------------------------------------------------|-----------|
| Filt and Foreign Material analysis utilizing microscopy (SOP-057-NY) |         |                                                     |           |
| Analyte                                                              | Results | Limit                                               | Pass/Fail |
| Foreign Material (other, % m/m)                                      | ND      | 2.00                                                | PASS      |
| Foreign Material (stems, % m/m)                                      | ND      | 5.00                                                | PASS      |
| Mammalian Excreta (mg/lb)                                            | ND      | 1.00                                                | PASS      |
| ND = Not Detected                                                    |         | Test ID: #233707   Date Tested: 04/12/2026 12:00 PM |           |



Matthew Elmes  
Lab Director  
4/20/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.